



AN CHING INDUSTRY CO., LTD

Your ID Partner
since 1977



AN CHING INDUSTRY CO., LTD.

PROFESSIONAL MANUFACTURER
IN ID ACCESSORIES SINCE 1977





2011 Trade Show



2012 Trade Show



2013 Trade Show



2020 Trade Show



PROFILE.....	01
Rigid Badge Holder.....	02-03
RFID Shielded Badge Holder.....	04
Soft Vinyl Card Holder.....	05-06
Armband Badge Holder.....	07-08
Rigid Vinyl Card Holder.....	09
Badge Clip.....	10-12
Magnetic Badge Holder.....	13
Badge Reel.....	14-16
Hand Slot Punch.....	17-18
Hand Photo Die Cutter & Corner Rounder.....	19
Desk-Top Slot Punch.....	20-21
Lanyard.....	22
Face Mask Lanyard.....	23-24
Attachments Options.....	25
Solid Brass.....	26-27
Packing.....	28

2020 Trade Show





We've been manufacturing plastic-injected ID badge holders, clips, yoyos and other accessories since 1977. Relying on experience that most competitors don't come close to, we can design badge holders and accessories for you in various materials. All molding and assembly are completed in-house for quality that is hard to find elsewhere. Inquire us anytime with your OEM/ODM specifications!





Rigid Badge Holder

»» AC913

- 91W x 63H mm
- Frosted

★ **BEST-SELLING HOLDERS** ★



»» AC915

- 58W x 94H mm
- Frosted



»» AC906

Crystal Clear

- Available w/ Two Cards
- 99W x 58H mm



»» AC919

Crystal Clear

- 60W x 101H mm



»» AC907

- 90W x 66H mm
- Frosted



»» AC607

- 60W x 99H mm
- Frosted



»» AC917

- 92W x 66H mm
- Frosted



AC608

Two-sided Badge Holder, Holds Two Cards

- 94W x 62H mm
- Assorted Colors are Available



AC908

W/ Rotating Clip for Horizontal or Vertical

- 90W x 58H mm



AC918

Assorted Colors are Available

- 90W x 65H mm



AC910

Assorted Colors are Available

- 87W x 64H mm



**COST
EFFECTIVE**

AC909

Available w/ Pin Back

- 90W x 66H mm
- Assorted Colors are Available






FIPS 201 Approved Card Holder

- EOS Badge Holder, APL#1501
- Size: 61W x 99H mm
- Blocks RFID Chips In Cards From Being Read Without Permission
- Customize Your Own Brand To The Holder Are Welcome
- Pantone Color Matching Service Are Available



Top Loading



Side Loading



Shields Two Smart Cards



AN CHING INDUSTRY CO., LTD.

Address: NO.52, Ping Ho 5th St, Lung Ping Li, Changhua City, 50090 Taiwan

Tel: +886-4-7616585

Fax: +886-4-7616586

Email: idxpert@anching.com.tw

sales@anching.com.tw

Website: www.anching.com.tw

»» AC018

• 96W x 73H mm,
0.25 + 0.25 mm



»» AC011-C

• 67W x 114H mm,
0.25 + 0.25 mm



»» AC018-B

2 Pockets

• 96W x 73H mm,
0.25 + 0.25 + 0.25 mm



»» AC011-CB

2 Pockets

• 67W x 114H mm,
0.25 + 0.25 + 0.25 mm



»» AC017

Proximity Card Holder

• 99.5W x 78H mm, 0.5 + 0.5 mm



»» AC011-E

Proximity Card Holder

• 66W x 113H mm, 0.5 + 0.5 mm



»» AC019

Heavy Duty

• 96W x 77H mm,
0.25 + 0.8 mm



»» AC011-D

Heavy Duty

• 69W x 104H mm,
0.25 + 0.8 mm





»» AC020

Zip Lock Card Holder

- 108W x 93H mm,
0.5 + 0.5 mm



»» AC021

Zip Lock Card Holder

- 76W x 124H mm,
0.5 + 0.5 mm



»» AC015

Zip Lock Card Holder

- 100W x 87H mm,
0.25 + 0.25 mm



»» AC012

Zip Lock Card Holder

- 69W x 118H mm,
0.25 + 0.25 mm



»» AC005

- Color Bar
- 97W x 80H mm,
0.25 + 0.25 mm



»» AC006

W/ Metal Clip Back

- 108W x 76H mm,
0.25 + 0.80 mm



»» AC050

Eco – Friendly

- Made of EVA
(eco-friendly) material
- 108W x 89H mm,
0.18 + 0.18 mm



»» AC051

Eco – Friendly

- Made of EVA (eco-friendly)
material
- 107W x 164H mm,
0.18 + 0.18 mm



»» AC025

Neon Reflective Arm Band

- 146W x 142H mm, Horizontal
- Ideal For Security Work, Emergency Services



High Visibility

»» AC023M

- 108W x 110H mm
- Vertical



»» AC022M

- 130W x 75H mm
- Horizontal



»» AC023O

- 108W x 110H mm
- Vertical



»» AC027

Zip Lock Holder

- 113W x 152H mm
- Vertical





Strap Options For Arm Band Holder

Adjustable Elastic Velcro



Adjustable Elastic Band Combines Velcro Closure w/ Tri-bar Slide




Elastic Band w/ Tri-bar Slide




**Move Freely
WITHOUT the Worry
Of Losing Your Card !!**



» AC903



- Standard: 90W x 58H x 0.33 mm
- Services For Name Badge Inserts Are Provided
- The Most Common Holder Sizes Are Shown, Customized Sizes Are Also Welcome



» AC901




» AC801



» AC803




» AC802



Name Badge Inserts

- Customized Inserts Can Accommodate Different Sizes Of Badge Holders
- All Inserts Are Perforated For Easy Separation



» AC607V





Badge Clip

809

- Metal Pin Clip Combo w/ Acrylic Pad 23 x 13 mm
- Available w/ High Bond Adhesive Tape Back



T708

- Pin Clip Combo w/ Acrylic Pad 23 x 14 mm
- Available w/ High Bond Adhesive Tape Back



808

- Metal Pin Clip Combo w/ Acrylic Pad 29 x 11 mm
- Available w/ High Bond Adhesive Tape Back



A901

- Plastic Bar Pin, 37 x 6.5 mm
- Available w/ High Bond Adhesive Tape Back



A805

- Metal Clip w/ Aluminum Pad
- Pad Dimension: 19.3 x 19.3 mm
- Available w/ High Bond Adhesive Tape Back



A805P

- Metal Pin Clip Combo w/ Aluminum Pad
- Pad Dimension: 19 x 19 mm
- Available w/ High Bond Adhesive Tape Back



» 907

- Suspender Clip w/ Molded Strap and Metal Popper



» B905R

- Suspender Clip w/ Reinforced Strap and Metal Popper



» 905L

- Suspender Clip w/ Molded Strap and Plastic Popper



HOT ITEM

» B905

- Suspender Clip w/ Molded Strap and Plastic Popper



» S905

- Color Plastic Clip w/ Molded Strap and Plastic Popper



» N105

- Color Plastic Clip w/ Molded Strap and Plastic Popper





Badge Clip

»» 205R

- 2 Hole Metal Clip w/ Reinforced Strap and Metal Popper, straps options as shown



»» 205C

- 2 Hole Metal Clip w/ Color Strap and Metal Popper, assorted colors are available



»» 205

- 2 Hole Metal Clip w/ Clear Vinyl Strap and Metal Popper



»» 205PE

- 2 Hole Metal Clip w/ Molded Strap and Plastic Popper



»» B205

- 2 Hole Pin Clip Combo w/ Vinyl Strap and Metal Popper



»» 105

- 1 Hole Metal Clip w/ Clear Vinyl Strap and Metal Popper



»» 405

- Metal Clip w/ Clear Vinyl Strap and Metal Popper



»» 505

- Ribbed Metal Clip w/ Clear Vinyl Strap and Metal Popper



AC916

- Magnet badge (All Metal) 45 x 13 mm
- W/ High Bond Adhesive Tape Back



AC916-L

- W/ Plastic Housing & 3 strong dot magnets
- 45 x 13 mm
- W/ High Bond Adhesive Tape Back



AC916-A

- W/ Quality Domed Logo for Promotion
- W/ High Bond Adhesive Tape Back



AC916-B

- W/ Plastic Housing 45 x 13 mm
- W/ High Bond Adhesive Tape Back



AC916-S

- W/ Plastic Housing 33 x 11 mm
- W/ High Bond Adhesive Tape Back



Attach to Clothes without Damage!!





Badge Reel

AC912

- W/ Slide Clip Back
- 32 mm Round Reel w/ 60 cm Long Pull Cord



AC912-T

- Transparent Badge Reel w/ Slide Clip Back
- 32 mm Round Reel w/ 60 cm Long Pull Cord



AC912-A

- W/ Alligator Clip Back
- 32 mm Round Reel w/ 60 cm Long Pull Cord



AC912-A2

- W/ Rotating Clip Back
- 32 mm Round Reel w/ 60 cm Long Pull Cord



AC912-R2

- W/ Slide Clip Back
- 35 x 30 mm Reel w/ 60 cm Long Pull Cord



AC912-S1

- W/ Slide Clip Back
- 32 x 32 mm Square Reel w/ 60 cm Long Pull Cord



AC912-L1

Lanyard Badge Reel

- W/ Slot Top For Lanyard 10/15 mm
- 32 mm Round Reel w/ 60 cm Long Pull Cord



AC912-L1S

Mini Lanyard Badge Reel

- W/ Slot Top For Lanyard 15 mm
- 25 mm Round Reel w/ 50 cm Long Pull Cord



AC912-S

Metal Plated Plastic Reel

- Chrome Finish Metal Plated Plastic Reel
- 32 x 32 mm Square Reel w/ 60 cm Long Pull Cord



AC912-C

Metal Plated Plastic Reel

- Chrome Finish Metal Plated Plastic Reel
- 32 mm Round Reel w/ 60 cm Long Pull Cord



AC912-R8

Carabiner Style Badge Reel


- W/ 360° Swivel Clip
- 36 x 61 mm Reel w/ 60 cm Long Pull Cord



AC912-R9

Swivel Back Badge Reel

- W/ 360° Swivel Clip
- 32 mm Round Rimmed-Reel w/ 60 cm Long Pull Cord



AC912-R15

Carabiner Style Badge Reel

- WITHOUT Clip Back
- 32 x 50 mm Reel w/ 60 cm Long Pull Cord



AC912-R16

Carabiner Style Badge Reel

- W/ Slide Clip Back
- 32 x 50 mm Reel w/ 60 cm Long Pull Cord





Heavy Duty Badge Reel

»» AC912-B

- W/ Slide Clip Back
- 40 mm Round Reel w/ 60 cm Long Pull Metal Wire



»» AC912-SS3

- W/ Loop Top & Vinyl Strap End
- 28 mm Round Reel w/ 60 cm Long Pull Cord



»» AC912-B1

- Metal Reel w/ Slide Clip Back
- 40 mm Round Reel w/ 60 cm Long Pull Metal Wire



»» AC912-SS5

- WITHOUT Clip Back
- 32 x 32 mm Diamond-shaped Reel w/ 60 cm Long Pull Cord



»» AC912-B2

- W/ Slide Clip Back
- 40 mm Round Reel w/ 60 cm Long Pull Metal Wire



»» AC912-SS6

- 28 mm Round Reel w/ 55 cm Long Pull Cord
- Assorted Paint Colors are Available



»» AC912-B5

- Metal Reel w/ Slide Clip Back
- 40 mm Round Reel w/ 60 cm Long Pull Metal Wire



AC-SP1001

Heavy Duty Slot Punch

- Portable
- Ideal For PVC Cards
- Slot Size: 12.5 x 3 mm (1/2" x 1/8")



AC-SP1002

Heavy Duty Slot Punch

- Portable
- Comes With Adjustable Centering Guide
- Ideal For PVC Cards
- Slot Size: 12.5 x 3 mm (1/2" x 1/8")





Hand Slot Punch

»» AC-SP3

- Hand Rivet Punch



»» AC-SP5

- Slot: 26 x 7.5 mm



»» AC-SP7

- Comes w/ Alignment Guide for Accurate Slot Position
- Hole: 5 mm



»» AC-SP6

- Slot: 26 x 8 mm



»» AC-SP8

- Comes w/ Alignment Guide for Accurate Slot Position
- Slot: 13 x 3 mm



»» AC-SP9

- Ideal For Laminated IDs
- Slot: 13 x 3 mm



»» AC-SP11

Heavy Duty


- Ideal For Laminated IDs
- Slot: 13 x 3 mm



»» AC-SP17/18

2 in 1 Punch

- Combines Slot Punch w/ Corner Rounder
- Hole: 5 mm (SP17)
- Slot: 13 x 3 mm (SP18)
- Radius-Cut Size: 5 mm



»» AC-SP12

Heavy Duty

- Ideal For PVC Card
- Slot: 13 x 3 mm



»» AC-P005

- Hand Photo Die Cutter w/ Plastic Housing
- Size: 35 x 45 mm



Specification (mm)			
25 X 25	32 X 22	32 X 40	33 X 48
27 X 38	32 X 25	35 X 25	40 X 50
30 X 40	32 X 26	35 X 45	50 X 50
30 X 21			

»» AC-RC1

- Corner Rounder For Low-volume Use
- Radius-Cut: 5 mm (S), 10 mm (L)



»» AC-PC1

- Hand Photo Die Cutter
- Standard: 25 x 32 mm

Specification (mm)	
25 X 25	32 X 22
25 X 32	32 X 25
27 X 38	32 X 26
30 X 40	32 X 40
31 X 21	35 X 25



»» AC-RC3

- Corner Rounder Steel Hand For PVC Card
- Radius-Cut:
3 mm(S)
5 mm(M)
10 mm(L)



»» AC-PC3

- Hand Photo Die Cutter
- Standard: 45 x 35 mm

Specification (mm)	
33 X 48	40 X 54
35 X 45	45 X 35
40 X 50	50 X 50



»» AC-PC6

- Hand Photo Die Cutter
- Standard: 60 x 40 mm

Specification (mm)	
40 X 60	
50 X 70	
50.8 X 73	



**Customized cut-shapes
are welcome~**





Heavy Duty Slot Punch

AC-SP2001

Stapler - Style Slot Punch

- Comes With Slot Receptacle
- Ideal For PVC Cards To 30 Mil
- Slot Size: 14 x 3 mm (9/16" x 1/8")



AC-SP2002

Stapler - Style Slot Punch

- Comes With Adjustable Guide For Accurate Slot Position
- With Slot Receptacle
- Ideal For PVC Cards To 30 Mil
- Slot Size: 14 x 3 mm (9/16" x 1/8")



AC-SP2003

3 in 1 Slot Punch

- Comes With Adjustable Centering Guide
- Round Hole: 6 mm (1/4")
- Slot Hole: 12.5 x 3 mm (1/2" x 1/8")
- Radius-Cut: 3 mm (1/8")



» AC-SP16

Heavy Duty

- Comes With Adjustable Centering Guide For Either Vertical Or Horizontal Use
- Can Punch Two Cards One Time
- Slot Size: 14 x 3 mm (9/16" x 1/8")
- Easy For One Hand Use - Great For Big Or Small Jobs



For Horizontal Use



For Vertical Use



Adjustable Centering Guide





Lanyard

» K-101

• Width 10 mm



» K-01

• Width 15 mm



» Bootlace Lanyard



» Knitted Polyester Lanyard



» Heated Dye Sublimation Process



» Silk Screen Process



» Slide Bead



» Snap Buckle



» Plastic Breakaway 1



» Plastic Breakaway 2



» Plastic Breakaway 3



K-MM0175

The best way for you to keep your mask secure and ready to use!



- Comes with Lightweight Swivel Metal J Hook




- Easy to Clip to the Band on the Mask




- Can Customized the Lanyard Color



- Tri-bar Slide Allows to Adjust the Lanyard Length
- The Handy Lanyard will keep Your Mask Close by and Convenient Anytime



*Adjustable Face Mask Lanyard
for Adults and Kids*



- Don't Feel the Lightweight Hook on the Mask even for Kids



Face Mask Lanyard

» K-MPH0175

**Perfect Solution for You to keep
Your Mask Secure and Ready to Use!**



- Comes with Sturdy POM Plastic Hook



- Easy to Clip to the Band on the Mask




- Can Customized the Lanyard Color



- Tri-bar Slide Allows to Adjust the Lanyard Length



- The Plastic Toggle for Comfy Wearing Experience



*Adjustable Face Mask Lanyard
for Adults and Kids*



- Don't Feel the Lightweight Hook on the Mask even for Kids

» 407

- Oval-Shaped 6 mm for Attaching To Lanyards Easily



» Swivel Clip

- For Lanyards 10 mm/15 mm



» Swivel Hook

- For Lanyards 10 mm/15 mm



» Metal Clamp

- For Lanyards 10 mm/15 mm/20 mm




» AC-H10

- Swivel Snap Hook
- For Lanyards 10 mm/ 15 mm/20 mm



» Hand Press Tool

- For Clamping the Metal Clamp in Place



» AC-H20


- Swivel Carabiner Hook
- For Lanyards 10 mm/ 15 mm/20 mm



» Swivel Vinyl Strap

- For Lanyards 10 mm/15 mm






ITEM NO.	E.W.	O.L.	O.W.
AC-BH13B65-1238	3/8" (12 mm)	2-1/2" (65 mm)	5/8" (15.8 mm)
AC-BH13B66-1312	1/2" (13.4 mm)	2-1/2" (66 mm)	5/8" (15.8 mm)
AC-BH13B69-1758	5/8" (17 mm)	2-5/8" (69 mm)	5/8" (15.8 mm)
AC-BH13B71-2034	3/4" (20 mm)	2-3/4" (71 mm)	5/8" (15.8 mm)




ITEM NO.	E.W.	O.L.	O.W.
AC-BH55B61-1038	3/8" (10.3 mm)	2-3/8" (61 mm)	9/32" (7 mm)
AC-BH55B62-1312	1/2" (12.7 mm)	2-3/8" (62 mm)	9/32" (7 mm)
AC-BH55B62-1858	5/8" (17.7 mm)	2-3/8" (62 mm)	9/32" (7 mm)
AC-BH55B62-2134	3/4" (20.5 mm)	2-3/8" (62 mm)	9/32" (7 mm)
AC-BH55B62-2478	7/8" (23.5 mm)	2-3/8" (62 mm)	9/32" (7 mm)
AC-BH55B66-2501	1" (25.4 mm)	2-1/2" (65.5 mm)	9/32" (7 mm)




ITEM NO.	E.W.	O.L.	O.W.
AC-BH98B50-0714	1/4" (7 mm)	1-7/8" (50 mm)	3/16" (5.5 mm)
AC-BH98B50-1038	3/8" (10.3 mm)	1-7/8" (50 mm)	3/16" (5.5 mm)
AC-BH98B55-1312	1/2" (12.7 mm)	2-1/8" (55 mm)	3/16" (5.5 mm)
AC-BH98B55-1858	5/8" (16.8 mm)	2-1/8" (55 mm)	3/16" (5.5 mm)




ITEM NO.	E.W.	O.L.	O.W.
AC-BH025B77-1138	3/8" (11.3 mm)	3" (77 mm)	5/16" (11.6 mm)
AC-BH025B78-1312	1/2" (13 mm)	3" (78 mm)	5/16" (11.6 mm)
AC-BH025B81-1758	5/8" (17.2 mm)	3-1/8" (81 mm)	5/16" (11.6 mm)
AC-BH025B85-2234	3/4" (21.6 mm)	3-3/8" (85.3 mm)	5/16" (11.6 mm)
AC-BH025B88-1412	1/2" (14.2 mm)	3-3/8" (87.7 mm)	11/32" (9 mm)




ITEM NO.	E.W.	O.L.	O.W.
AC-BH15B61-1412	1/2" (14.4 mm)	2-3/8" (61 mm)	5/8" (15.8 mm)
AC-BH15B62-1758	5/8" (17.3 mm)	2-3/8" (62 mm)	5/8" (15.8 mm)
AC-BH15B63-2134	3/4" (21 mm)	2-1/2" (63 mm)	5/8" (15.8 mm)
AC-BH15B65-2601	1" (25.8 mm)	2-1/2" (64.5 mm)	5/8" (15.8 mm)
AC-BH15B65-33114	1-1/4" (32.7 mm)	2-1/2" (64.5 mm)	5/8" (15.8 mm)
AC-BH15B65-39112	1-1/2" (39 mm)	2-1/2" (64.5 mm)	5/8" (15.8 mm)




ITEM NO.	E.W.	O.L.	O.W.
AC-BH51B84-1958	5/8" (18.8 mm)	3-1/4" (84 mm)	3/8" (10 mm)
AC-BH51B95-2134	3/4" (21 mm)	3-3/4" (95 mm)	1/2" (13 mm)
AC-BH51B113-2478	7/8" (24 mm)	4-3/8" (113 mm)	5/8" (15 mm)
AC-BH51B114-2478	7/8" (24 mm)	4-3/8" (114 mm)	11/16" (17.6 mm)



ITEM NO.	E.W.	O.L.	O.W.
AC-BH25B77-1412	1/2" (14 mm)	3" (76.8 mm)	3/8" (10 mm)
AC-BH25B80-1758	5/8" (17 mm)	3-1/8" (80 mm)	3/8" (10 mm)
AC-BH25B80-2134	3/4" (20.5 mm)	3-1/8" (80 mm)	3/8" (10 mm)
AC-BH25B83-2378	7/8" (22.8 mm)	3-1/4" (82.8 mm)	3/8" (10 mm)
AC-BH25B91-2701	1" (27.3 mm)	3-1/2" (91.3 mm)	7/16" (11.5 mm)
AC-BH25B5117-30118	1-1/8" (29.6 mm)	4-5/8" (117 mm)	5/8" (16 mm)
AC-BH25B5119-33114	1-1/4" (33 mm)	4-5/8" (117 mm)	5/8" (16 mm)



ITEM NO.	E.W.	O.L.	O.W.
AC-BH49B55-1038	3/8" (10 mm)	2-1/8" (54.5 mm)	3/8" (10 mm)
AC-BH49B69-1758	5/8" (16.5 mm)	2-5/8" (68.7 mm)	3/8" (9.5 mm)
AC-BH49B72-1758	5/8" (16.5 mm)	2-3/4" (72 mm)	7/16" (11 mm)
AC-BH49B83-2134	3/4" (20.7 mm)	3-1/4" (83 mm)	1/2" (13.3 mm)
AC-BH49B109-2134	3/4" (20.7 mm)	4-1/4" (109 mm)	3/4" (19 mm)




ITEM NO.	E.W.	O.L.	O.W.
AC-BH0845-0714	1/4" (7 mm)	1-3/4" (45 mm)	1/4" (5.5 mm)
AC-BH0845-1038	3/8" (10.3 mm)	1-3/4" (45 mm)	1/4" (5.5 mm)
AC-BH0845-1312	1/2" (12.7 mm)	1-3/4" (45 mm)	1/4" (5.5 mm)
AC-BH0847-1758	5/8" (16.8 mm)	1-7/8" (46.5 mm)	1/4" (5.5 mm)



ITEM NO.	E.W.	O.L.	O.W.
AC-BH79B55-1038	3/8" (10.3 mm)	2-1/8" (55 mm)	3/16" (5.5 mm)
AC-BH79B55-1312	1/2" (12.7 mm)	2-1/8" (55 mm)	3/16" (5.5 mm)
AC-BH79B59-1858	5/8" (17.7 mm)	2-1/4" (59 mm)	3/16" (5.5 mm)
AC-BH79B55-2134	3/4" (20.5 mm)	2-1/8" (55 mm)	3/16" (5.5 mm)
AC-BH79B55-2478	7/8" (23.5 mm)	2-1/8" (55 mm)	3/16" (5.5 mm)
AC-BH79B60-2501	1" (25.4 mm)	2-2/8" (60.3 mm)	3/16" (5.5 mm)

Solid Brass Forged Snap Hook



★ Strength Tested hardware to Provide Maximum Safety

Rigid Badge Holder

ITEM NO.	QTY(PCS) / CTN	N.W. / G.W.(KGS)	MEAS.(CBM)
AC607	50/box, 1000/ctn	15.5 / 16.5	0.045
AC608	50/box, 1000/ctn	14 / 15	0.071
AC906	1/bag, 50/box, 1000/ctn	15 / 16	0.057
AC907	50/box, 1000/ctn	18.5 / 19.5	0.051
AC908	50/box, 1000/ctn	18.5 / 19.5	0.057
AC909	50/box, 1000/ctn	11 / 12	0.051
AC910	100/box, 2000/ctn	18.5 / 19.5	0.051
AC913/AC915	50/box, 1000/ctn	17 / 18	0.045
AC917	50/box, 1000/ctn	14.5 / 15.5	0.045
AC918	50/box, 1000/ctn	11 / 12	0.045
AC919	1/bag, 50/box, 1000/ctn	19 / 20	0.051
AC901/AC903	50/box, 2000/ctn	16.5 / 17.5	0.076
AC801	50/box, 1000/ctn	10.5 / 11.5	0.059
AC802	50/box, 2000/ctn	15 / 16	0.076
AC803	50/box, 2000/ctn	16 / 17	0.076
AC607V	50/box, 1000/ctn	12.5 / 13.5	0.059

Rigid / Soft Vinyl Card Holder

AC005	100/opp bag, 4000/ctn	19.5 / 20.5	0.031
AC006	100/opp bag, 2000/ctn	22.5 / 23.5	0.037
AC011-C	100/opp bag, 4000/ctn	19 / 20	0.031
AC011-CB / AC018-B	100/opp bag, 2000/ctn	13.5 / 14	0.017
AC011-D / AC019	100/opp bag, 2000/ctn	18.5 / 19.5	0.025
AC011-E	100/opp bag, 2000/ctn	17.5 / 18.5	0.025
AC012 / AC015	100/opp bag, 2000/ctn	11.5 / 12.5	0.025
AC017	100/opp bag, 2000/ctn	18 / 19	0.025
AC018	100/opp bag, 4000/ctn	18 / 19	0.031
AC050	100/opp bag, 4000/ctn	12.5 / 13.5	0.025
AC051	100/opp bag, 4000/ctn	11 / 12	0.025
AC020	100/opp bag, 4000/ctn	24.5 / 25.5	0.037
AC021	100/opp bag, 2000/ctn	23.5 / 24.5	0.04
AC018-B	100/opp bag, 2000/ctn	13.5 / 14	0.017

Badge Clip

105 / 205 / 205C	500/bag, 3000/ctn	13.5 / 14	0.028
B205 / 205R	500/bag, 2500/ctn	11.5 / 12	0.028
205PE	500/bag, 3000/ctn	12 / 12.5	0.028
B905 / 905L	500/bag, 3000/ctn	18 / 19	0.025
B905R	500/bag, 3000/ctn	20.5 / 21.5	0.025
907	500/bag, 3000/ctn	20 / 21	0.025
S905	500/bag, 5000/ctn	16 / 17	0.051
N105	500/bag, 5000/ctn	15 / 16	0.059
405 / 505	1000/bag, 3000/ctn	15 / 16	0.028
T708	500/bag, 5000/ctn	13 / 14	0.037
A805	500/bag, 3000/ctn	11.5 / 12	0.028
A805P	500/bag, 2500/ctn	10 / 10.5	0.028
808 / 809	500/bag, 5000/ctn	12 / 13	0.037
A901	1000/bag, 10000/ctn	10 / 11	0.031
A902	500/bag, 5000/ctn	9 / 10	0.025

Armband Badge Holder

ITEM NO.	QTY(PCS) / CTN	N.W. / G.W.(KGS)	MEAS.(CBM)
AC022M	50/bag, 500/ctn	10.5 / 11.5	0.045
AC023M	50/bag, 500/ctn	11.5 / 12.5	0.045
AC027	50/bag, 500/ctn	13 / 14	0.045
AC025	50/bag, 500/ctn	15.5 / 16.5	0.051

Magnetic Badge Holder

AC916	50/box, 2000/ctn	24 / 25	0.017
AC916-A	50/box, 2000/ctn	26 / 27	0.017
AC916-B	50/box, 2000/ctn	21 / 22	0.017
AC916-S	50/box, 4000/ctn	22 / 23	0.017
AC916-L	50/box, 2000/ctn	21.5 / 22.5	0.017

Badge Reel

AC912 / AC912-R2 AC912-T	1/opp bag, 100/bag, 1000/ctn	11 / 12	0.037
AC912-A / AC912-A2 AC912-S1	1/opp bag, 100/bag, 1000/ctn	12 / 13	0.037
AC912-L1	1/opp bag, 100/bag, 1000/ctn	10 / 11	0.031
AC912-L1S	1/opp bag, 100/bag, 2000/ctn	13.5 / 14.5	0.045
AC912-R8	1/opp bag, 50 /bag, 500 /ctn	10 / 11	0.025
AC912-R9	1/opp bag, 100/bag, 1000/ctn	16 / 17	0.037
AC912-R15 / AC912-R16	1/opp bag, 100/bag, 500 /ctn	11.5 / 12.5	0.031
AC912-C	1/opp bag, 100/bag, 1000/ctn	10.5 / 11.5	0.037
AC912-S	1/opp bag, 100/bag, 1000/ctn	11.5 / 12.5	0.037
AC912-B / AC912-B2	1/opp bag, 50 /bag, 500 /ctn	11.5 / 12.5	0.037
AC912-B1	1/opp bag, 50 /bag, 250 /ctn	15.5 / 16	0.017
AC912-B5	1/opp bag, 50 /bag, 500 /ctn	20.5 / 21.5	0.037
AC912-SS3	1/opp bag, 100/bag, 1000/ctn	19.5 / 20.5	0.031
AC912-SS5	1/opp bag, 50 /bag, 500 /ctn	16 / 17	0.025
AC912-SS6	1/opp bag, 50 /bag, 500 /ctn	10.5 / 11.5	0.025
AC912-R16	1/opp bag, 100/bag, 500 /ctn	11.5 / 12.5	0.031

Hand Slot Punch

AC-SP3 / AC-SP5 / AC-SP6 AC-SP7 / AC-SP8 / AC-SP9 AC-SP11 / AC-SP12	1/box, 50/ctn	16.5 / 17.5	0.04
AC-SP17 / AC-SP18	1/box, 50/ctn	18 / 19	0.04

Hand Photo Die Cutter & Corner Rounder

AC-PC1	1/box, 25/ctn	13.5 / 14.5	0.051
AC-PC3 / AC-P005	1/box, 25/ctn	15 / 16	0.051
AC-PC6	1/box, 20/ctn	16 / 17	0.059
AC-RC1	1/box, 12/inner box, 144/ctn	11.5 / 12.5	0.049
AC-RC3	1/box, 50/ctn	16.5 / 17.5	0.04

Lanyard

407	100/bag, 5000/ctn	15 / 16	0.028
K-101	50 /bag, 1000/ctn	17.5 / 18.5	0.051
K-01	100/bag, 2000/ctn	17 / 18	0.045

Wristband

K-202 / K-207	100/bag, 2500pcs/ctn	6.5 / 7.5	0.037
K-W02	100/bag, 3000pcs/ctn	7 / 8	0.037
K-R01	100/bag, 3000pcs/ctn	5.5 / 6.5	0.037



安慶工業有限公司

AN CHING INDUSTRY CO., LTD.

NO.52, Ping Ho 5th St, Lung Ping Li.Changhua City, 50090 Taiwan

www.anching.com.tw | Tel +886-4-7616585 | Fax +886-4-7616586

allen@anching.com.tw | ldexpert@anching.com.tw | anching@seed.net.tw